

SONY BKM-FW32 SPECIFICATIONS



Table of Contents

[Key Features](#)

[specifications](#)

[General](#)

[Dimensions](#)

[Other ManualsLib Projects](#)

Key Features

- IP Addressable Network Adaptor
- Compatible with FWD Displays
- Remote Access via LAN, WAN or Internet via computer
- Simple Installation



BKM-FW32

Sony Network Management Adapter

Specifications

General

Operating Temperature: 0 to 35 degrees Celsius (32 degrees Fahrenheit to 95 degrees Fahrenheit)

Power Consumption: Approx. 1.0W

Storage Temperature: -10 degrees Celsius to 40 degrees Celsius (14 degrees Fahrenheit to 104 degrees Fahrenheit)

Backlit Color: Link LED (Green) / Act LED (Orange)

Operating Distance: Cable length limit: Within 100m (Category 5)

Dimensions

Weight: Approx. 120g (4oz)

Measurements: 5 3/8" x 1 3/16" x 3 5/8 inches (135 x 30 x 90 mm) (w/h/d)

UPC Code: 027242665804



Please visit the Dealer Network for current information at www.sony.com/dn

Other ManualsLib Projects

 www.manualslib.com

 www.manualslib.de

 www.manualslib.es

 www.manualslib.fr

 www.manualslib.nl

 www.manualslib.mx

 www.manualslib.tech 30+ Languages